



- NOTES:
- ALL SEWER SERVICES SHALL BE 4" SDR 35 PVC @ 2.0% (MIN) U.N.O.
  - ALL WATER SERVICES SHALL BE 1" TYPE 'K' COPPER U.N.O.

SITE ENGINEER:  
  
 CIVIL ENGINEERING ASSOCIATES, INC.  
 10 MANSFIELD VIEW LANE, SOUTH BURLINGTON, VT 05403  
 802-864-2323 FAX: 802-864-2271 web: www.ceaa-vt.com  
 COPYRIGHT © 2019 - ALL RIGHTS RESERVED

DRAWN  
SAL  
 CHECKED  
DSM  
 APPROVED  
DSM

OWNER:  
**HAYSTACK CROSSING, LLC**  
 c/o JOSEPH BISSONETTE  
 68 RANDALL STREET  
 SOUTH BURLINGTON, VT 05403  
 APPLICANT:  
**BLACKROCK CONSTRUCTION, LLC**  
 68 RANDALL STREET  
 SOUTH BURLINGTON, VT 05403

PROJECT:  
**HAYSTACK CROSSING**  
 SHELBURNE FALLS ROAD  
 VERMONT ROUTE 116  
 HINESBURG, VERMONT 05461



LOCATION MAP  
 1" = 2000'

DATE	CHECKED	REVISION
11/22/19	DSM	TOWN RESUBMITTAL
1/10/20	DSM	UPDATE PER TOWN COMMENTS
3/3/20	DSM	UPDATE PER TOWN COMMENTS
6/2/20	DSM	REVISED STREET GRADING
3/4/22	DSM	REV. PER CONDITIONS OF APPROVAL

**PARTIAL SITE PLAN**  
**WATER & SEWER**

DATE  
OCT. 4, 2019  
 SCALE  
1" = 20'  
 PROJ. NO.  
13127  
 DRAWING NUMBER  
**C4.3**

