

4" MINIMUM TOPSOIL, SEED AND MULCH

REQUIRED) TO ESTABLISH VEGETATION

SIDEWALK WIDTH AS SHOWN ON PLANS 5" THICK CONCRETE SIDEWALK (6" THICK AT DRIVEWAY CROSSINGS) (8" THICK AT COMMERCIAL CROSSINGS)

> - 6" COMPACTED CRUSHED GRAVEL (704.05 FINE)

UNDISTURBED SOIL OR APPROVED COMPACTED

GRANULAR FILL

CONCRETE SIDEWALK DETAIL

1. EXPANSION JOINTS SHALL BE PLACED EVERY 20'


2. THE SIDEWALK SHALL BE SCORED (1" DEEP) AT INTERVALS OF FIVE FEET BY DUMMY JOINTS.


3. NO DEICER SHALL BE APPLIED TO SIDEWALK UNTIL AT LEAST 30 DAYS OF AIR DRYING TIME


HAS OCCURRED.

- USE EROSION MATTING (WHEN

ALL SIDESLOPE







10'-0" (UNLESS OTHERWISE SHOWN ON PLANS

6" GRAVEL SIDEWALK


GRAVEL SIDEWALK DETAIL


UNDISTURBED SOIL OR APPROVED COMPACTED

GRANULAR FILL

10" GRAVEL SUBBASE -

S-010





SITE	ENGINEER:			
C E				
CIVIL ENGINEERING ASSOCIATES, INC.				
10 MANSFIELD VIEW LANE, SOUTH BURLINGTON, VT 05403				
802-864-2	323 FAX: 802-864-	2271 web: www.cea-vt.com		
COPYRIGHT © 2019 - ALL RIGHTS RESERVED				
DRAWN				
DIVANIN				
SAL				

DSM OWNER:

APPROVED

HAYSTACK CROSSING, LLC c/o JOSEPH BISSONETTE

68 RANDALL STREET SOUTH BURLINGTON, VT 05403

APPLICANT:

BLACKROCK CONSTRUCTION, LLC

68 RANDALL STREET SOUTH BURLINGTON, VT 05403

PROJECT:

HAYSTACK CROSSING

SHELBURNE FALLS ROAD **VERMONT ROUTE 116** HINESBURG, VERMONT 05461

DATE	CHECKED	REVISION
11/22/19	DSM	TOWN RESUBMITTAL
1/10/20	DSM	UPDATE PER TOWN COMMENTS
3/4/22	DSM	REV. PER CONDITIONS OF APPROVAL

SITE DETAILS

DRAWING NUMBER OCT. 4, 2019 SCALE AS SHOWN

PROJ. NO.

13127